

Long-life lighting for industry

Since
1927



Sammode



Perthus tunnel, France



ArcelorMittal steelworks, Dunkirk, France



Petit Billy Triballat cheese plant, Noyal-sur-Vilaine, France

Sammode, The industrial lighting specialist



As tough as they come

Our smart choice of high-quality materials ensures resistance to corrosive and abrasive environments as well as chemical corrosion.

Ultimate impermeability

Our luminaires offer ultimate ingress protection for sustained performance throughout their service life: IP66/IP68/IP69K, no matter where, no matter how long.

Durability and scalability

We say no to the throwaway and planned obsolescence: our products are built to last, and will even evolve as your installation develops, and in line with the available technologies. The servicing and renovation of our luminaires by component offers the unique promise of a lifelong lighting solution.

Performance and savings

Our promise: a reduction in your energy consumption, high performance, improved lighting for operators, along with a reduced total cost of operation (TCO) for your installation.

A unique warranty

We offer security for your investment with an ULTIMATE warranty for our luminaires, valid for 24/7 usage at maximum temperature.

Sammode's commitment

By designing and manufacturing sturdy and 100%-repairable devices in France, using sustainable materials, we reduce our carbon footprint to the benefit of both our customers and the environment.

Sammode proposes lighting solutions for all industrial applications, with an absolutely unparalleled commitment to quality and sustainability.

ATEX lighting

LED

Lighting for grain silos, water treatment plants, paint booths, etc.



Field silo, France



Enhanced safety



Per envelope



Non-sparking



Encapsulation

JAMIN



ATEX Zone 2,21,22 industrial atmospheres

Up to 9,250 lm
70,000h L80 B10
Temp. -20 to +35°C



BOYLE XTREM



ATEX Zone 2,21,22 extreme atmospheres

Up to 9,250 lm
70,000h L80 B10
Temp. -20 to +50°C



SABATIER XTREM



ATEX Zone 1 extreme atmospheres


Up to 8,500 lm
50,000h L80 B50
Temp. -20 to +40°C



Water treatment facility, France



Ultimate warranty, unparalleled on the market, guaranteed for 24/7 operation, at maximum temperature. Designed and manufactured in France.



IP66, IP68, IP69K absolute ingress protection. The BOYLE Xtrem range, certified up to 50°C, has components designed to resist electrical interference and high temperatures.



Stainless steel and coextruded polycarbonate and methacrylate composite (JAMIN, IK10) or borosilicate glass (SABATIER and BOYLE, IK07) body for resistance to chemical corrosion.



Airbus, Germany



New: to reduce on-site intervention time, Sammode proposes a new pre-wired version with unpluggable ATEX cable. And for even greater safety, a backup 1-hour lighting function with integrated lithium-ion batteries.

MARECHAL ELECTRIC

RAIL industry



Inspection pits, maintenance workshops, works trains, etc.

For railway maintenance zones, Sammode recommends a selection of LED luminaires dedicated to the different activities. They are robust and high-performance and provide quality lighting, visual comfort for operators, energy savings, and a reduced total cost of ownership (TCO).



Maintenance pit - Niepce FV

NIEPCE FV



Compact, for lighting inspection pits

Up to 4,300 lm
70,000h L80 B10
Temp. -20 to +35°C

PASCAL



Maintenance workshops, gangways, exterior approaches...

Up to 11,000 lm
70,000h L80 B10
Temp. -20 to +35°C



Maintenance workshop - Pascal

CUGNOT XTREM



Tunnels, works trains, and other extreme environments

Up to 11,000 lm
70,000h L80 B10
Temp. -20 to +50°C

COULOMB, MAXWELL



Emergency lighting (independent unit [BAES] or central source [LSC])

Evacuation or ambient
NF AEAS-compliant



Works train - Cugnot Xtrem




Ultimate warranty, unparalleled on the market, guaranteed for 24/7 operation, at maximum temperature. Designed and manufactured in France.



IP66, IP68, IP69K absolute ingress protection and coextruded polycarbonate and methacrylate composite body, protected against mechanical shocks or falling tools, chemical corrosion, UV rays, and bad weather.



Emergency lighting - Coulomb BAES



With the DALI Options, a presence sensor and its asymmetric dual optics for lighting the underside of the train and the bottom of the pit, NIEPCE FV is the ideal solution for inspection pits. Ingenious: thanks to its reversible gear tray (patented Sammode system), it can be adapted to the wiring direction of the pit.

Extreme conditions



Steel works, paper mills, glass factories, malting plants, etc.



Steel works, Arcelor Mittal, France

For extreme environments such as those subject to corrosive atmospheres at high temperatures, Sammode recommends the rugged LESLIE and JOULE Solutions, all-stainless-steel and borosilicate glass or coextruded polycarbonate and methacrylate composite body.

JOULE X-HEAT



For extreme industrial environments

Up to 5,000 lm
50,000h L80 B50
Temp. -20 to +70°C

LESLIE X-HEAT



Tube made of borosilicate glass for highly corrosive atmospheres

Up to 5,000 lm
50,000h L80 B50
Temp. -20 to +70°C




Paper mill, France



Ultimate warranty, unparalleled on the market, guaranteed for 24/7 operation, at maximum temperature. Designed and manufactured in France.



Coextruded polycarbonate and methacrylate composite (JOULE, IK10) or borosilicate glass (LESLIE, IK07) body to resist all kinds of chemical corrosion, mechanical shocks, and abrasive dust.



Robust power supply insensitive to electrical interference and vibrations, designed for intensive operation at high temperatures.



One-piece housing offering high resistance to shocks and intense vibrations, through the simple mechanical assembly of ultra-resistant materials.



IP66, IP68, IP69K absolute ingress protection against dust and high-pressure jet washing.

Extreme cold in the food industry



Lighting high spaces in low temperatures, even in extreme cold conditions



Storage warehouse, France

For industrial activities in cold rooms, deep-freeze tunnels, storage chambers, and other refrigerated zones, Sammode recommends luminaires with 100% flux from the moment they are switched on, plus dedicated optics for shelving.

BERING X-COLD



Cold rooms, deep-freeze tunnels, process zones

Up to 11,000 lm
70,000h L80 B10
Temp. -40 to +25°C

BARENTS X-COLD



High-ceilinged storage zones

Up to 14,000 lm
70,000h L80 B10
Temp. -40 to +25°C



Cold room, France



Ultimate warranty, unparalleled on the market, valid for 24/7 operation, at maximum temperature. Designed and manufactured in France.



Robust power supply for repeatedly turning lighting on and off and intensive operation at low temperatures.



IP66, IP68, IP69K absolute ingress protection and coextruded polycarbonate and methacrylate composite body, supporting thermal variations, chemical corrosion, and mechanical shocks. No frost formation.



Compliance with food safety standards.

Marine industry



Ports, boats, large external spaces...



Brittany Ferries, France

For terminals, loading docks, shipyards, or other specific zones, Sammode recommends its tubular luminaires in 316L stainless steel or projectors with low copper-content AlSi12 aluminium body and anti-corrosion coating to resist all the stresses of marine environments.


CUGNOT XTREM



Gangways, staircases, conveyors, on board ships, etc.


Up to 11,000 lm
70,000h L80 B10
Temp. -20 to +50°C

SILL 48



Container terminals, gantries and cranes, transit hangers...

Up to 100,000 lm
100,000h L80 B10
Up to 50°C



Port of Nantes-Saint-Nazaire, France



Ultimate warranty, unparalleled on the market, guaranteed for 24/7 operation, at maximum temperature. Designed and manufactured in France.



One-piece housing offering high resistance to shocks and intense vibrations, through the simple mechanical assembly of ultra-resistant materials.



Exceptional resistance over time under the harshest conditions of corrosion, thanks to the use of reinforced mechanical parts made of 316L stainless steel on the Sammode tube lights, and an anti-corrosion coating on the SILL projectors.



Tube lights with high-level IP66, IP68, IP69K ingress protection and coextruded polycarbonate and methacrylate composite body, protected against UVs, bad weather, and salt spray.

Other demanding applications

Nuclear power plants

JOLIOT XTREM



K3 earthquake resistance and high reliability for lighting all technical zones of a nuclear power plant (excluding radioactive zones).

Controlled atmosphere zones

CALMETTE



For resistance to disinfectants, with anti-static properties and installation suited to the different ceilings of controlled atmosphere zones.

ATEX high spaces

FUMAT



High-performance elliptical beam luminaires, for high-ceilinged workshops or storage zones, classified ATEX zone 2,21,22.



Extreme cold

CELSIUS X-COLD



Compact for very low temperatures down to -60°C, off a 24VDC power supply

Machines and processes

FOUCAULT



Compact lighting powered off 230 V or 24 V DC, for lighting machines or tight, hard-to-access spaces.





Metallurgy, furnaces...

PAULI HT X-HEAT



With incandescent source, for very high temperatures up to 200°C

Overview of Sammode solutions for industry





Sammode Research & Development Centre, Lamotte-Beuvron, France



Test room, Sammode Research & Development Centre
Lamotte-Beuvron, France



Manufacturing, Sammode factory, Chatillon-sur-Saône,
France

Your Sammode
contact

D2 ↑
niveau 07
(10,20 m)
ABP 200 VV ABP 367 LT
ABP 203 VV APP 071 VV
ABP 206 VV APP 073 VV

D2

2 APP 01



Sammode

Sammode France
24 rue des Amandiers
75020 - PARIS CEDEX 20
01 43 14 84 90
11/2022